

Safety Data Sheet

Wood Oil

Replaces date: 23/10/2019

Revision date: 08/03/2021
Version: 3.1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: Wood Oil

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Surface treatment.

1.3. Details of the supplier of the safety data sheet

Supplier

Company: Guardian Protection Products A/S
Address: Knudevejen 22
Zip code: 6600
City: Vejen
Country: DENMARK
E-mail: guardian@guardian.dk
Phone: +45 75471767
Fax: +45 75471787

1.4. Emergency Telephone Number

Members of the public: 111 (NHS 111 (Scotland: NHS 24))

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP-classification: The product shall not be classified as hazardous according to the classification and labeling rules for substance and mixtures.

Most serious harmful effects: May cause slight irritation to the skin and eyes.

2.2. Label elements

Supplemental information

EUH210 Safety data sheet available on request.

2.3. Other hazards

The product does not contain any PBT or vPvB substances.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance	CAS No	EC No	REACH Reg. No.	Concentration	Notes	CLP-classification
White mineral oil (petroleum)	8042-47-5	232-455-8	01-2119487078-27	80 - 90%	4	Asp. Tox. 1;H304

Please see section 16 for the full text of H-phrases.

4 = H304 is not applicable due to the high viscosity of the product.

Safety Data Sheet

Wood Oil

Replaces date: 23/10/2019

Revision date: 08/03/2021
Version: 3.1.0

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:	Seek fresh air.
Ingestion:	Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical advice in case of persistent discomfort.
Skin contact:	Remove contaminated clothing. Wash skin with soap and water.
Eye contact:	Flush with water (preferably using eye wash equipment) until irritation subsides. Seek medical advice if symptoms persist.
General:	When obtaining medical advice, show the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

May cause slight irritation to the skin and eyes. Ingestion may cause discomfort.

4.3. Indication of any immediate medical attention and special treatment needed

No special immediate treatment required. Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:	Extinguish with powder, foam, carbon dioxide or water mist.
Unsuitable extinguishing media:	Do not use water stream, as it may spread the fire.

5.2. Special hazards arising from the substance or mixture

Can generate harmful flue gases containing carbon monoxide in the event of fire.

5.3. Advice for firefighters

If there is a risk of exposure to vapour and flue gases, a self-contained breathing apparatus must be worn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Stop leak if this can be done without risk. Wear gloves.

For emergency responders: In addition to the above: Normal protective clothing equivalent to EN 469 is recommended.

6.2. Environmental precautions

Do not discharge large quantities of concentrated spills and residue into drains.

6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent material and transfer to suitable waste containers. Rinse with water.

6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

Safety Data Sheet

Wood Oil

Replaces date: 23/10/2019

Revision date: 08/03/2021
Version: 3.1.0

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Use the product under well-ventilated conditions. Running water and eye wash equipment should be available. Wash hands before breaks, before using restroom facilities, and at the end of work.

7.2. Conditions for safe storage, including any incompatibilities

The product should be stored safely, out of reach of children and away from food, animal feeding stuffs, medicines, etc. Keep in tightly closed original packaging.

7.3. Specific end use(s)

None.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit: Contains no substances subject to reporting requirements

Measuring methods: Compliance with the stated occupational exposure limits may be checked by occupational hygiene measurements.

Legal basis: EH40/2005 Workplace exposure limits. Last amended January 2020.

DNEL - workers

White mineral oil (petroleum), cas-no 8042-47-5					
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note
Inhalation DNEL (long-term exposure - systemic effects)	160 mg/m ³				
Dermal DNEL (long-term exposure - systemic effects)	220 ppm				

DNEL - general population

White mineral oil (petroleum), cas-no 8042-47-5					
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note
Dermal DNEL (long-term exposure - systemic effects)	92 mg/kg bw/day				
Inhalation DNEL (long-term exposure - systemic effects)	35 mg/m ³				
Oral DNEL (long-term exposure - systemic effects)	40 mg/kg bw/day				

8.2. Exposure controls

Appropriate engineering controls: Wear the personal protective equipment specified below.

Personal protective equipment, eye/face protection: Wear safety goggles if there is a risk of eye splash. Eye protection must conform to EN 166.

Safety Data Sheet

Wood Oil

Replaces date: 23/10/2019

Revision date: 08/03/2021
Version: 3.1.0

Personal protective equipment, skin protection: Plastic or rubber gloves recommended. Gloves must conform to EN 374.

Personal protective equipment, respiratory protection: Not required. In case of spraying/formation of spraying mists: In case of insufficient ventilation, wear respiratory protective equipment. Filter type: A. Respiratory protection must conform to one of the following standards: EN 136/140/145.

Environmental exposure controls: Ensure compliance with local regulations for emissions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Parameter	Value/unit
State	Liquid
Colour	Clear
Odour	Odourless
Solubility	Not miscible with the following: Water.
Explosive properties	No data
Oxidising properties	No data

Parameter	Value/unit	Remarks
pH (solution for use)	No data	
pH (concentrate)	No data	
Melting point	No data	
Freezing point	No data	
Initial boiling point and boiling range	No data	
Flash Point	> 180 °C	
Evaporation rate	No data	
Flammability (solid, gas)	No data	
Flammability limits	No data	
Explosion limits	0.6 - 6.5	
Vapour pressure	No data	
Vapour density	No data	
Relative density	No data	
Partition coefficient n-octanol/water	No data	
Auto-ignition temperature	No data	
Decomposition temperature	No data	
Viscosity	> 20.5 mm ² /s	(40°C)
Odour threshold	No data	

9.2. Other information

Parameter	Value/unit	Remarks
VOC (Volatile organic compounds):	0	
Particle characteristics	0,86-0,97 g/m ³	

SECTION 10: Stability and reactivity

10.1. Reactivity

Not reactive.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

Safety Data Sheet

Wood Oil

Replaces date: 23/10/2019

Revision date: 08/03/2021
Version: 3.1.0

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Avoid exposure to daylight or other light sources.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None, if stored at the recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - oral

White mineral oil (petroleum), cas-no 8042-47-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 5000mg/kg			

Ingestion may cause discomfort. Based on existing data, the classification criteria are deemed not to have been met.

Acute toxicity - dermal

White mineral oil (petroleum), cas-no 8042-47-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit	LD50		> 3000mg/kg			

Based on existing data, the classification criteria are deemed not to have been met.

Acute toxicity - inhalation

White mineral oil (petroleum), cas-no 8042-47-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LC50	4h	> 5mg/l			

Based on existing data, the classification criteria are deemed not to have been met.

Skin corrosion/irritation:

Degreases and dries the skin. Repeated exposure may cause skin dryness or cracking. The product does not have to be classified. Test data are not available.

Serious eye damage/eye irritation:

May cause eye irritation. The product does not have to be classified. Test data are not available.

Respiratory sensitisation or skin sensitisation:

The product does not have to be classified. Test data are not available.

Germ cell mutagenicity:

The product does not have to be classified. Test data are not available.

Carcinogenic properties:

The product does not have to be classified. Test data are not available.

Reproductive toxicity:

The product does not have to be classified. Test data are not available.

Single STOT exposure:

Inhalation of vapours/spray mist may cause irritation to the upper airways. The product does not have to be classified. Test data are not available.

Safety Data Sheet

Wood Oil

Replaces date: 23/10/2019

Revision date: 08/03/2021
Version: 3.1.0

Repeated STOT exposure: The product does not have to be classified. Test data are not available.

Aspiration hazard: The product does not have to be classified. Test data are not available.

Other toxicological effects: None known.

SECTION 12: Ecological information

12.1. Toxicity

White mineral oil (petroleum), cas-no 8042-47-5

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Crustacea	Daphnia magna	48h		> 100mg/l		OECD 202	
Algae	Pseudokirchneriella subcapitata	72h		> 100mg/l		OECD 201	
Fish	Lepomis macrochirus		96hLC50	> 1000mg/l		OECD 203	

Based on existing data, the classification criteria are deemed not to have been met.

12.2. Persistence and degradability

Test data are not available.

12.3. Bioaccumulative potential

Test data are not available.

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Avoid discharge to drain or surface water.

Contact the local authorities.

Absorbent/cloth contaminated with the product: EWC code: 15 02 03 Absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02.

Empty, cleansed packaging should be disposed of for recycling.

Category of waste: EWC code: Depends on line of business and use, for instance 16 05 09 discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08

SECTION 14: Transport information

14.1. UN number or ID number: Not applicable.

14.4. Packing group: Not applicable.

14.2. UN proper shipping name: Not applicable.

14.5. Environmental hazards: Not applicable.

Safety Data Sheet

Wood Oil

Replaces date: 23/10/2019

Revision date: 08/03/2021
Version: 3.1.0

14.3. Transport hazard class(es): Not applicable.

14.6. Special precautions for user

None.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special Provisions: None.

15.2. Chemical Safety Assessment

Other Information: Chemical safety assessment has not been performed.

SECTION 16: Other information

Version history and indication of changes

Version	Revision date	Responsible	Changes
3.1.0	08/03/2021	Bureau Veritas HSE / THS	-

Abbreviations:
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: Very Persistent and Very Bioaccumulative
 STOT: Specific Target Organ Toxicity
 DNEL: Derived No Effect Level
 PNEC: Predicted No Effect Concentration

Other Information: This safety data sheet has been prepared for and applies to this product only. It is based on our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with 1907/2006/EC (REACH) as subsequently changed.

Training advice: A thorough knowledge of this safety data sheet should be a prerequisite condition.

Classification method: Calculation based on the hazards of the known components.

List of relevant H-statements

H304 May be fatal if swallowed and enters airways.

SDS is prepared by

Company: Bureau Veritas HSE Denmark A/S
 Address: Oldenborggade 25-31
 Zip code: 7000
 City: Fredericia
 Country: DENMARK
 E-mail: infohse@bureauveritas.com
 Phone: +45 77 31 10 00
 Homepage: https://www.bvhse.dk/



Safety Data Sheet

Wood Oil

Replaces date: 23/10/2019

Revision date: 08/03/2021
Version: 3.1.0

Document language: GB